


Anchor channel ladder JXA - LR

Connection system for steel composite structures



Anchor channel ladder JXA – LR


Adjustable connection of metal decking support brackets

The anchor channel ladder JXA – LR assemblies are formed by welding JXA toothed channels to spacer bars at pre-defined centres. They are used as an adjustable cast-in connection for attaching support angles to concrete. The vertical toothed channels provide adjustment for levelling angles and positioning them for height. Horizontal slots in the support angles provide location tolerance.



Typical applications include:

- Shelf angles for supporting metal and hollow core slabs
- Shelf angles for supporting stair landings.



Anchor channel ladder JXA – LR benefits:


- Excellent load performance and fully adjustable connections enable easy shelf angle positioning
- Heavy-duty, hot-rolled toothed profiles absorb static, impact, and dynamic loading.
- Special modifications aid installation in slip form and jump form structures
- Specialist labour is not required for installation
Connector weight is limited to enable hand installation without the necessity for crane lifting.
- No special tools or electrical power requirements on site
- Range of load capacities, T-bolt diameters and lengths available.

Replacing drilled connections achieves the following:

- Potential exposure to silica dust is reduced
Potential exposure to drilling noise levels is reduced
- Risk of drilling noise nuisance to neighbouring offices and residences is reduced
- Potential exposure to HAVS risk from vibrating hand tools is reduced
- Eliminates the risk of drilling into reinforcement.

Replacing welded connections achieves the following:

- Reduces the potential risk of fires or injury caused by falling sparks or hot surfaces
- No requirement for any site-applied protective finishes after welding.




Section and elevation views of a typical Anchor Channel Ladder JXA – LR assembly




Anchor channel ladder JXA – LR

Applications

Hollowcore plank support connection example




Metal deck support connection example




Precast stair support connection




Steel stair support connection




Brise Soleil/Canopy connection



Brickwork connection



Reference project – Factory roof, Germany



Our synergy concept for you

With us, you benefit from the collective experience of three established manufacturers who combine their products and expertise to form a truly comprehensive range. This is the PohlCon synergy concept.



Full-service consulting

Our extensive network of advisors is available to answer all your questions about our products. You will enjoy personal support from our qualified staff right from the planning stage through to construction.




Digital solutions

Our digital services give you targeted planning assistance when using our products. We provide tailor-made planning support from tender specifications to CAD details, BIM data and modern software solutions.



Seven fields of application

We think in terms of holistic solutions. That is why we have grouped our products into seven fields of application in which you can benefit from the synergy of the PohlCon product range.



Ten product categories

The products are divided into ten product categories to help you find the right product from our extensive range even faster. This allows you to navigate through our products and quickly find what you need.



Custom solutions

Can't find a series product on the market that is suitable for your project? We master extraordinary challenges by harnessing the many years of expertise of our three manufacturer brands in the area of custom solutions. In this way, we can build unique construction projects together.



All rights reserved. This document may not be reprinted or electronically reproduced without our prior written consent. The content is subject to change without notice. Errors and omissions excepted. The publisher accepts no liability, irrespective of the legal basis. This document replaces all previous documentation.

PohlCon UK Limited

Thame Forty
Jane Morbey Road
THAME, OXON OX9 3RR

+44 (0)1844 215200
enquiries@pohlcon.co.uk

www.pohlcon.co.uk

© PohlCon | PC-LIT-TI-LADD-EN | 06-2025 | 1st v. | 06 -2025